



Hedge



Specification Guide


Hedge

Hedge provides a versatile semi-static visual and acoustic barrier for privacy without disturbing the office layout.


Easily moved, Hedge can be adapted to suit a variety of work styles including private or collaborative task needs and will enhance a flexible work environment.

Hedge


Single Screen 6




Double Screen 7



Corner Screen 8





Hedge

Hedge

1. Plywood Frame

32mm hoop pine plywood




2. Acoustic Wall Covering

12mm PET Panel



Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.



Hedge Single Screen

Materials Information

Frame Finish

32mm hoop pine plywood

- a. Natural
- b. Black Stain

Acoustic Foam


Acoustic Wall Covering

12mm PET panel


Base Finish

- a. Steel foot with glides
- b. Steel foot with castors

Single Screen



Single Screen with Castors



Width (W) 1000 / 1200mm
Height (H) 1400 / 1600 / 1800mm
Foot 500mm

PET
Composition 100% PET, 75% recycled
Sustainability Greentag certified. Greenrate level: A
VOC emission <0.002mg/m²/hr

Hedge Double Screen

Materials Information

Frame Finish

32mm hoop pine plywood

- a. Natural
- b. Black Stain

Acoustic Foam


Acoustic Wall Covering

12mm PET panel

Base Finish

- a. Steel foot with glides

Double Screen



Width (W) 1400 / 1600 / 1800mm
Height (H) 1400 / 1600 / 1800mm
Foot 500mm

PET

Composition 100% PET, 75% recycled
Sustainability Greenguard: Gold standard certified
VOC emission <0.002mg/m²/hr

Hedge Corner Screen (single or double)

Materials Information

Frame Finish

32mm hoop pine plywood

- a. Natural
- b. Black Stain

Acoustic Foam


Acoustic Wall Covering

12mm PET panel

Base Finish

- a. Steel foot with glides

Corner Screen



Width narrow screen (W)

1000 / 1200mm

Width wide screen (W)

1400 / 1600 / 1800mm

Height (H)

1400 / 1600 / 1800mm

Foot

500mm

PET

Composition

100% PET, 75% recycled

Sustainability

Greenguard: Gold standard certified

VOC emission

<0.002mg/m²/hr



Specification

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

Sustainability Policy

We realise the importance of responsible business practices and have in place numerous product and company sustainability certifications. We would encourage you to download our annual Sustainability Report from the Thinking Works website to get a full overview of our sustainability program.

Thinking Works
© Copyright 2025
All right reserved

Thinking Works
Warehouse 2B/M5 Industry Park,
1 Moorebank Avenue, Moorebank,
New South Wales 2170, Australia

commercialimages
evolving workspaces